A comprehensive offering of sterile-packaged plates and screws indicated for craniomaxillofacial reconstructive and revision procedures.

Key Advantages

• Delivered sterile

Lot traceability

Mesh options

- Efficient inventory control
- · Skull base plates

Standard and low-profile plates

| 1.5mm Configui | ations | | | | | |
|----------------|--------|----------------------------|----------------------------|--|------------------------------------|------------------------------------|
| Image | | Single Pack Part Number | Twelve Pack Part Number | Description | Contents (in each cassette) | Quantity (in each cassette) |
| | хЗ | 45 7270V | | Three Long Dog Bone Set | 01-7347 | 3 |
| | х6 | 15-7378X | 15-7378X-12 | | 91-6104 | 6 |
| | х1 | | | 18.5mm Burr Hole/Two Long Dog Bone Set | 01-7308 | 1 |
| | х2 | 15-7379X | 15-7379X-12 | | 01-7347 | 2 |
| | х9 | | | | 91-6104 | 9 |
| | х1 | | 15-7380-12 | Long Dog Bone Set | 01-7347 | 1 |
| | х2 | 15-7380 | | | 91-6104 | 2 |
| | х1 | | 15-7381-12 | Medium Dog Bone Set | 01-7345 | 1 |
| | х2 | 15-7381 | | | 91-6104 | 2 |
| | х1 | | 15-7382-12 | 18.5mm Burr Hole Plate Set | 01-7308 | 1 |
| | х5 | 15-7382 | | | 91-6104 | 5 |



| 1.5mm Configurations Con | tinued | | | | |
|---------------------------|----------------------------|----------------------------|--|------------------------------------|------------------------------------|
| Image | Single Pack Part Number | Twelve Pack Part Number | Description | Contents (in each cassette) | Quantity (in each cassette) |
| | SP-3091 | SP-3091-12 | 6 Hole, Extra Long, Double Y Plate | 01-7114 | 1 |
| x1 x4 | 37-3071 | 3F-309 I-12 | 1.5 x 4mm, Self-Drilling HT X-DR Screw | 91-6104 | 4 |
| 20 vi | SP-3093 | SP-3093-12 | 4 Hole, Extra Long, Straight Plate | 01-7048 | 1 |
| x1 ×4 | SP-3093 | 3P-3093-12 | 1.5 x 4mm Self-Drilling HT X-DR Screw | 91-6104 | 4 |
| 000000 x1 444 6 x4 | SP-3095 | SP-3095-12 | 6 Hole, Regular, Straight Plate | 01-7050 | 1 |
| x4 | 3P-3095 | 3r-3095-12 | 1.5 x 4mm Self-Drilling HT X-DR Screw | 91-6104 | 4 |
| | CD 2006 | SP-3096-12 | 2 x 3 Hole Rectangle Plate | 01-7136 | 1 |
| x1 | SP-3096 | | 1.5 x 4mm Self-Drilling HT X-DR Screw | 91-6104 | 4 |
| | SP-3097 | SP-3097-12 | 18.5mm Shunt Plate | 01-7305 | 1 |
| x1 x5 | | | 1.5 x 4mm Self-Drilling HT X-DR Screw | 91-6104 | 5 |
| 11 miles | | SP-3098-12 | 2 Hole, Medium, Straight Plate | 01-7345 | 1 |
| x1 x 2 | SP-3098 | | 1.5 x 4mm X-DR Screw | 91-6104 | 2 |
| 1.5 HTR* Configurations | | | | | |
| x2 x10 | SP-2974 | SP-2974-12 | Extra Long Y Plate Set (2 Plates/10 Screws) | 01-7104 | 2 |
| XI XIII | 31-29/4 | 35-2974-12 | Extra Long 1 Frace Set (2 Fraces) To Sciews) | 91-6104 | 10 |
| x1 x 6 | SP-2975 | SP-2975-12 | Extra Long Double Y Plate Set | 01-7114 | 1 |
| A1 | 31 -2373 | JI -27/ J- 12 | Extra Long Double 11 late Set | 91-6104 | 6 |
| x2 x8 | SP-2976 | SP-2976-12 | 4 Hole Square Plate Set | 01-7131 | 2 |
| AL AL | 3, 27,0 | 3. 2770 12 | oc squarer rate see | 91-6104 | 8 |
| x3 x9 | SP-2977 | SP-2977-12 | Extra Long Y Plate Set (3 Plates/9 Screws) | 01-7104 | 3 |
| | | | | 91-6104 | 9 |

^{*}SterileTrac configurations that include extra long plates are often used for HTR PMMA or PEKK cases because the extra plate length can span the tapered edges of custom cranioplasty implants.



1.5mm Plates **Single Pack Twelve Pack Contents** Quantity **Description Image Part Number Part Number** (in each cassette) (in each cassette) SP-ST-7047N SP-ST-7047N-12 4 Hole, Long, Straight Plate 01-7047 1 SP-ST-7114N SP-ST-7114N-12 6 Hole, Extra Long, Double Y Plate 01-7114 1 SP-ST-7131N SP-ST-7131N-12 4 Hole Square Plate 01-7131 1 SP-ST-7357N SP-ST-7357N-12 4 Hole, Wide Strut Plate, 0.5mm Thick 01-7357 1 4 Hole, Rectangle Plate, 0.5mm Thick SP-ST-7359N SP-ST-7359N-12 01-7359 1 SP-ST-7306N SP-ST-7306N-12 13mm Burr Hole Plate, 0.5mm Thick 01-7306 1 SP-ST-7308 SP-ST-7308-12 17.5mm Temporal Burr, Right, 0.5mm Thick 80-7308 1 SP-ST-7309 SP-ST-7309-12 17.5mm Temporal Burr, Left, 0.5mm Thick 80-7309 1 SP-ST-7305 SP-ST-7305-12 18.5mm Modified Shunt Plate, 0.5mm Thick 80-7305 1 SP-ST-7305N SP-ST-7305N-12 18.5mm Shunt Plate, 0.5mm Thick 01-7305 1 SP-ST-7309N 22mm Burr Hole Plate, 0.5mm Thick 1 SP-ST-7309N-12 01-7309 SP-STA-1841 SP-STA-1841-12 Contourable Mesh, 85mm x 55mm, 0.3mm Thick SP-1841 1



| Skull Base Plates | | | | | | | |
|-------------------|----------------------------|----------------------------|---|------------------------------------|-----------------------------------|--|--|
| lmage | Single Pack Part Number | Twelve Pack Part Number | Description | Contents (in each cassette) | Quantity (in each cassette | | |
| | Translabrynthine | | | | | | |
| | SP-STA-1836 | SP-STA-1836-12 | Small Translab Plate, 52mm x 40mm, 0.3mm Thick | SP-1836 | 1 | | |
| | SP-STA-2090 | SP-STA-2090-12 | Small Malleable Translab Plate, 52mm x 40mm, 0.3mm Thick | SP-2090 | 1 | | |
| | SP-STA-1796 | SP-STA-1796-12 | Small Translab Plate, 52mm x 40mm, 0.6mm Thick | SP-1796 | 1 | | |
| | SP-STA-1837 | SP-STA-1837-12 | Large Translab Plate, 59mm x 45mm, 0.3mm Thick | SP-1837 | 1 | | |
| | SP-STA-2087 | SP-STA-2087-12 | Large Malleable Translab Plate, 59mm x 45mm, 0.3mm Thick | SP-2087 | 1 | | |
| | SP-STA-1797 | SP-STA-1797-12 | Large Translab Plate, 59mm x 45mm, 0.6mm Thick | SP-1797 | 1 | | |
| | Chiari | , | | | | | |
| | SP-STA-1343 | SP-STA-1343-12 | Small Chiari Plate, 42mm x 30mm, 0.6mm Thick | SP-1343 | 1 | | |
| | SP-STA-2082 | SP-STA-2082-12 | Large Chiari Plate, 55mm x 38mm, 0.6mm Thick | SP-2082 | 1 | | |
| | SP-STA-2281 | SP-STA-2281-12 | Triangle Chiari Plate, 42mm x 29mm, 0.6mm Thick | SP-2281 | 1 | | |
| | Retrosigmoid | | | | | | |
| | SP-STA-1842 | SP-STA-1842-12 | Small Retrosigmoid Plate, 45mm x 37mm, 0.3mm Thick | SP-1842 | 1 | | |
| | SP-STA-1798 | SP-STA-1798-12 | Large Retrosigmoid Plate, 54mm x 45mm, 0.3mm Thick | SP-1798 | 1 | | |
| | Retromastoid | | | | | | |
| | SP-STA-2250 | SP-STA-2250-12 | Small, Left Retromastoid Plate, 41mm x 39mm, 0.3 Thick | SP-2250 | 1 | | |
| | SP-STA-2249 | SP-STA-2249-12 | Small, Right Retromastoid Plate, 41mm x 39mm, 0.3mm Thick | SP-2249 | 1 | | |
| | SP-STA-2139 | SP-ST-2139-12 | Medium, Left Retromastoid Plate, 48mm x 45mm, 0.3mm Thick | SP-2139 | 1 | | |
| | SP-STA-2138 | SP-STA-2138-12 | Medium, Right Retromastoid Plate, 48mm x 45mm, 0.3mm Thick | SP-2138 | 1 | | |
| | SP-STA-2136 | SP-STA-2136-12 | Large, Left Retromastoid Plate, 53mm x 48mm, 0.3mm Thick | SP-2136 | 1 | | |
| _ | SP-STA-2135 | SP-STA-2135-12 | Large, Right Retromastoid Plate, 53mm x 48mm, 0.3mm Thick | SP-2135 | 1 | | |



1.5mm Screws

| | Image | Single Pack | Twelve Pack | Description | Contents | Quantity |
|-------------|------------|--------------|-----------------|---|--------------------|--------------------|
| | image | Part Number | Part Number | Description | (in each cassette) | (in each cassette) |
| _ | 1 | SP-ST-6103 | SP-ST-6103-12 | 1.5 x 3.5mm Self-Drilling HT X-DR Screw | 91-6103 | 1 |
| 1.5 x 3.5mm | ×2 | SP-ST2-6103 | SP-ST2-6103-12 | 1.5 x 3.5mm Self-Drilling HT X-DR Screw | 91-6103 | 2 |
| | x 1 | 15-1803 | 15-1803-12 | 1.8mm x 3.5mm HT X-DR Emergency | 91-1803 | 1 |
| | x 1 | 15-6104 | 15-6104-12 | 1.5mm x 4mm Self-Drilling HT X-DR | 91-6104 | 1 |
| 1.5 x 4mm | ×2 | SP-ST2-6104 | SP-ST2-6104-12 | 1.5 x 4mm Self-Drilling HT X-DR Screw | 91-6104 | 2 |
| | ×5 | SP-ST5-6104 | SP-ST5-6104-12 | 1.5 x 4mm Self-Drilling HT X-DR Screw | 91-6104 | 5 |
| | x1 | SP-ST-6105 | SP-ST-6105-12 | 1.5 x 5mm Self-Drilling HT X-DR Screw | 91-6105 | 1 |
| 1.5 x 5mm | ×2 | SP-ST2-6105 | SP-ST2-6105-12 | 1.5 x 5mm Self-Drilling HT X-DR Screw | 91-6105 | 2 |
| | x 1 | 15-1805 | 15-1805-12 | 1.8mm x 5mm HT X-DR Emergency | 91-1805 | 1 |
| | x1 | SP-ST-6105X | SP-ST-6105X-12 | 1.65 x 5mm Self-Drilling HT X-DR Screw | 91-6105X | 1 |
| 1.65 x 5mm | x2 | SP-ST2-6105X | SP-ST2-6105X-12 | 1.65 x 5mm Self-Drilling HT X-DR Screw | 91-6105X | 2 |
| - | x 5 | SP-ST5-6105X | SP-ST5-6105X-12 | 1.65 x 5mm Self-Drilling HT X-DR Screw | 91-6105X | 5 |



SterileTrac[™] ThinFlap[™]

| ThinFlap Configurations | | | | | |
|-------------------------|---|-----------------------------|-----------------------------|------------------------------------|------------------------------------|
| lmage | Single Pack Part Number | Twelve Pack Part Number | Description | Contents (in each cassette) | Quantity (in each cassette) |
| 0 x1 44111 | 25-1005X | 25-1005X-12 | 2 Hole Straight Plate | 19-1005 | 1 |
| XI THE WAY | | | 2 noie straight Plate | 91-6704 | 2 |
| 0 x3 41111 | 25-7378X | 25-7378X-12 | Dog Bone Set | 19-1005 | 3 |
| N ATTENDED YOU | 25-73768 | 23-73768-12 | bog bolle sec | 91-6704 | 6 |
| 00 00 x1 41111 | 25-1045X | 25-1045X-12 | 4 Hole Straight Plate, Long | 19-1045 | 1 |
| No oo ni maa | 23-10 1 37 | 23-10+3/-12 | 4 Hole Straight Flate, Long | 91-6704 | 4 |
| 000 000 x1 4111 | x6 25-1040X 25-1040X-12 6 Hole Straight Plate, Long | 6 Hole Straight Plate, Long | 19-1040 | 1 | |
| No. | 25 10401 | 25 1040% 12 | o note straight rate, cong | 91-6704 | 6 |
| 00000 x1 4111 | 25-1050X | 25-1050X-12 | 6 Hole Curved Plate | 19-1050 | 1 |
| N N | 25 10301 | 25 10501 12 | o note current race | 91-6704 | 6 |
| 2000 x1 4111 (x6 | 25-1065X | 25-1065X-12 | Y Plate | 19-1065 | 1 |
| 00000 % 444 | 25 1005% | 25 1005/(12 | Triace | 91-6704 | 6 |
| x1 4111 (x6 | 25-1060X | 25-1060X-12 | Double Y Plate | 19-1060 | 1 |
| N TOTAL N | 25 10001 | 25 10000 12 | bouble i riale | 91-6704 | 6 |
| 0 x1 4111 x2 | 25-1010X | 25-1010X-12 | 2 Hole Wide Plate | 19-1010 | 1 |
| A1 | 25 1010/ | 23 1010/112 | 2 note made | 91-6704 | 2 |
| x1 4111 | 25-1015X | 25-1015X-12 | 4 Hole Square Plate | 19-1015 | 1 |
| AT THE AT | 25 1015/ | 23 1013/112 | . Hote Square Flace | 91-6704 | 4 |
| x1 4111 (1) x5 | 25-1020X | 25-1020X-12 | 18.5mm Burr Plate | 19-1020 | 1 |
| AT THE AT | 23 10200 | 23 1020/(12 | 10.5mm buil 1 luce | 91-6704 | 5 |



SterileTrac[™] ThinFlap[™]

| ThinFlap Plates | | | | | | | | |
|-----------------|----------------------------|----------------------------|------------------------------|------------------------------------|------------------------------------|--|--|--|
| lmage | Single Pack Part Number | Twelve Pack Part Number | Description | Contents (in each cassette) | Quantity (in each cassette) | | | |
| | SP-ST-1005 | SP-ST-1005-12 | 2 Hole Straight Plate | 19-1005 | 1 | | | |
| 00 00 | SP-ST-1045 | SP-ST-1045-12 | 4 Hole, Long, Straight Plate | 19-1045 | 1 | | | |
| 000 000 | SP-ST-1040 | SP-ST-1040-12 | 6 Hole, Long, Straight Plate | 19-1040 | 1 | | | |
| 00000 | SP-ST-1050 | SP-ST-1050-12 | 6 Hole Curved Plate | 19-1050 | 1 | | | |
| 0000 | SP-ST-1065 | SP-ST-1065-12 | Y Plate | 19-1065 | 1 | | | |
| | SP-ST-1060 | SP-ST-1060-12 | Double Y Plate | 19-1060 | 1 | | | |
| | SP-ST-1015 | SP-ST-1015-12 | 4 Hole Square Plate | 19-1015 | 1 | | | |
| | SP-ST-1019 | SP-ST-1019-12 | 13mm Burr Hole Plate, Bent | 19-1019 | 1 | | | |
| | SP-ST-1020 | SP-ST-1020-12 | 18.5mm Burr Hole Plate | 19-1020 | 1 | | | |
| | SP-ST-1020B | SP-ST-1020B-12 | 18.5mm Burr Hole Plate, Bent | 19-1020B | 1 | | | |



SterileTrac[™] ThinFlap[™]

| | lmage | Single Pack Part Number | Twelve Pack Part Number | Description | Contents (in each cassette) | Quantity (in each cassette) |
|------------|--|----------------------------|----------------------------|--|------------------------------------|------------------------------------|
| | 00000 | SP-ST-1070 | SP-ST-1070-12 | L Plate, 100° Left | 19-1070 | 1 |
| | 00000 | SP-ST-1075 | SP-ST-1075-12 | L Plate, 100° Right | 19-1075 | 1 |
| | | SP-ST-1942 | SP-ST-1942-12 | 18.5mm Shunt Plate | SP-1942 | 1 |
| | | SP-ST-1863 | SP-ST-1863-12 | 18.5mm Burr Hole Plate with Slot | SP-1863 | 1 |
| | | SP-STA-1021 | SP-STA-1021-12 | 24mm Burr Hole Plate, Bent | 19-1021 | 1 |
| | | SP-STA-1025 | SP-STA-1025-12 | Gap Plate, 35mm | 19-1025 | 1 |
| (| 00000000 | SP-STA-1055 | SP-STA-1055-12 | 10 Hole Curved Plate | 19-1055 | 1 |
| 0000 | 00000000000 | SP-STA-1035 | SP-STA-1035-12 | 16 Hole Straight Plate | 19-1035 | 1 |
| | | SP-STA-1030 | SP-STA-1030-12 | Grid Panel 85mm x 53mm | 19-1030 | 1 |
| Thi | nFlap Screws | | | | | |
| | ₹1111 € x1 | SP-ST-6703 | SP-ST-6703-12 | 1.5 x 3.5mm Self-Drilling X-Drive TF Screw | 91-6703 | 1 |
| .5mm | ************************************** | SP-ST2-6703 | SP-ST2-6703-12 | 1.5 x 3.5mm Self-Drilling X-Drive TF Screw | 91-6703 | 2 |
| 1.5 x 3.5m | ₹111 (x 5 | SP-ST5-6703 | SP-ST5-6703-12 | 1.5 x 3.5mm Self-Drilling X-Drive TF Screw | 91-6703 | 5 |
| | 4111 (1) x1 | SP-ST-6903 | SP-ST-6903-12 | 1.8 x 3.5mm X-Drive TF Emergency Screw | 91-6903 | 1 |
| | ₹111 (1) 1 | SP-ST-6704 | SP-ST-6704-12 | 1.5 x 4mm Self-Drilling X-Drive TF Screw | 91-6704 | 1 |
| 1.5 x 4mm | ************************************* | SP-ST2-6704 | SP-ST2-6704-12 | 1.5 x 4mm Self-Drilling X-Drive TF Screw | 91-6704 | 2 |
| 1.5 x | ₹1111 € x5 | SP-ST5-6704 | SP-ST5-6704-12 | 1.5 x 4mm Self-Drilling X-Drive TF Screw | 91-6704 | 5 |
| | 4111 6 x1 | 25-6904X | 25-6904X-12 | 1.8mm x 4mm X-Drive TF Emergency Screw | 91-6904 | 1 |

